



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

MAY - 6 2004

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Sam Son
Vice President, Technical Affairs
Osteoimplant Technology, Inc.
11201 Pepper Rd
Hunt Valley, Maryland 21031

Re: K040225
Trade/Device Name: OTI Alumina Ceramic Femoral Head System
Regulation Number: 21 CFR 888.3353
Regulation Name: Hip joint metal/ceramic/polymer semi-constrained cemented or nonporous uncemented prosthesis
Regulatory Class: II
Product Code: KWZ
Dated: January 29, 2004
Received: February 6, 2004

Dear Mr. Son:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.


Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Page 2 - Sam Son

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4659. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,

A handwritten signature in black ink, appearing to read "Celia M. Witten", with a stylized flourish at the end.

Celia M. Witten, Ph.D., M.D.
Director
Division of General, Restorative
and Neurological Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

510(k) Number (if known): 510(k) K040225
OTI Alumina Ceramic Femoral Head System.

Indications For Use:

OTI Alumina Ceramic Femoral Head System is indicated for use in total or partial hip replacement procedures for patients suffering severe pain and disability due to structural damage in the hip joint from rheumatoid arthritis, osteoarthritis, post-traumatic arthritis, collagen disorders, avascular necrosis, traumatic and non-union of femoral fractures. Use of the prosthesis is also indicated for patients with congenital hip dysplasia, protrusio acetabuli, slipped capital femoral epiphysis, and disability due to previous fusion, where bone stock is inadequate for other reconstruction techniques.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

(Division Sign-Off)
 Division of General Restorative Devices
 510(k) Number _____

Prescription Use ☒
 (Per 21 CFR 801.109)

OR

Over-The-Counter Use _____

(Optional Format 1-2-96)

for Mark H. Miller
 (Division Sign-Off)
 Division of General, Restorative,
 and Neurological Devices

510(k) Number K040225